



Support Unit LK
(fixed-side rectangular & low profile type)



No.	Part name	Qty
1	Housing	1
2	Bearing	1set
3	Holding lid	1
4	Collar	2
5	Seal	1 (2)
6	Lock nut	1set
7	Cushion Stopper (option)	1
8	Cushion Stopper (option)	2

LK



Unit : mm

Model No.	Shaft diameter d1	L	L1	L2	L3	B	H	b ±0.02	h ±0.02	B1	H1	P	X	Y	Z	M	T	Weight (Kgs)
LK08	8	22.5	-	26	3.5	62	31	31	15.5	30	25.5	46	9	14	12.5	M3	14	0.28
LK10	10	24	6	29.5	6	70	38	35	20	36	30	52	9	14	10	M3	16	0.44
LK12	12	24	6	29.6	6	70	38	35	20	36	30	52	9	14	10	M4	19	0.43
LK15	15	25	6	36	5	80	42	40	22	41	32	60	11	17	13	M4	22	0.53

Support Unit LK (fixed-side rectangular & low profile type)

Order Coding	Model No.	Surface treatment	Applicable ballscrew accuracy grade	Bearing		Delivery date
				Model No.	Max. Starting torque (gf-cm)	
LK08	LK08	Black Oxide	C3 ~ C10	708A P5	90	EX-STOCK
LK08_C5			C5 ~ C10	708A P0	90	3 days
LK08_C3			C3	708A P5	90	3 days
LK08_N		Electroless Nickel Plating	C3 ~ C10	708A P5	90	3 days
LK08_C5N			C5 ~ C10	708A P0	90	3 days
LK08_C3N			C3	708A P5	90	3 days
LK10	LK10	Black Oxide	C3 ~ C10	7000A P5	190	EX-STOCK
LK10_C5			C5 ~ C10	7000A P0	190	3 days
LK10_C3			C3	7000A P5	190	3 days
LK10_N		Electroless Nickel Plating	C3 ~ C10	7000A P5	190	3 days
LK10_C5N			C5 ~ C10	7000A P0	190	3 days
LK10_C3N			C3	7000A P5	190	3 days
LK12	LK12	Black Oxide	C3 ~ C10	7001A P5	210	EX-STOCK
LK12_C5			C5 ~ C10	7001A P0	210	3 days
LK12_C3			C3	7001A P5	210	3 days
LK12_N		Electroless Nickel Plating	C3 ~ C10	7001A P5	210	3 days
LK12_C5N			C5 ~ C10	7001A P0	210	3 days
LK12_C3N			C3	7001A P5	210	3 days
LK15	LK15	Black Oxide	C3 ~ C10	7002A P5	230	EX-STOCK
LK15_C5			C5 ~ C10	7002A P0	230	3 days
LK15_C3			C3	7002A P5	230	3 days
LK15_N		Electroless Nickel Plating	C3 ~ C10	7002A P5	230	3 days
LK15_C5N			C5 ~ C10	7002A P0	230	3 days
LK15_C3N			C3	7002A P5	230	3 days



Black Oxide
(Application : General case)



Electroless Nickel Plating
(Application : Clean room)

Note :


1. All types make Preload.
2. All of bearings use Japanese & Taiwanese brand bearings (Model No. in blue), Assembly by DF way. The most suitable way for ballscrew use.

Support Unit LF / LFA

(supported-side rectangular & low profile type)

LF

Cushion Stopper
(option)





LF12~LF15

Cushion Stopper
(option)



LF08

2- $\varnothing$ X drill $\varnothing$ Y counter bore depth Z




No.	Part name	Qty
1	Housing	1
2	Bearing	1 set
3	Snap ring	1
4	Cushion Stopper (option)	1
5	Cushion Stopper (option)	2

Unit : mm

Model No.	Shaft diameter d1	L	B	H	b ±0.02	h ±0.02	B1	H1	P	X	Y	Z	Bearing	Snap ring	Weight (Kgs)
LF08	6	16	62	31	31	15.5	30	25.5	46	9	14	12.5	606ZZ	S 06	0.19
LF12	10	20	70	38	35	20	36	30	52	9	14	10	6000ZZ	S 10	0.3
LF15	15	20	80	42	40	22	41	32	60	9	14	11	6002ZZ	S 15	0.36



LFA

Cushion Stopper
(option)



LFA25

2- $\varnothing$ X drill $\varnothing$ Y counter bore depth Z




No.	Part name	Qty
1	Housing	1
2	Bearing	1 set
3	Snap ring	2
4	Cushion Stopper (option)	1

Unit : mm

Model No.	Shaft diameter d1	L	B	H	b ±0.02	h ±0.02	B1	H1	P	X	Y	Z	Bearing	Snap ring	Weight (Kgs)
LFA12	12	18	62	31	31	15.5	30	25.5	46	9	14	12.5	6801ZZ	R21	0.2
LFA15	15	18	70	38	35	20	36	30	52	9	14	10	6902ZZ	R28	0.26
LFA20	20	22	80	42	40	22	41	32	60	11	17	13	6804ZZ	R32	0.35
LFA25	25	22	95	58	47.5	30	56	45	75	11	17	15	6005ZZ	R47	0.62

Support Unit LF / LFA (supported-side rectangular & low profile type)

Order Coding	Model No.	Surface treatment	Applicable ballscrew accuracy grade	Bearing	Delivery date 	
LF08_C3	LF08	Black Oxide	C3 ~ C7	606ZZ	EX-STOCK	 Black Oxide (Application : General case)
LF08_C3N		Electroless Nickel Plating	C3 ~ C7	606VV	3 days	
LF12_C3	LF12	Black Oxide	C3 ~ C7	6000ZZ	EX-STOCK	
LF12_C3N		Electroless Nickel Plating	C3 ~ C7	6000VV	EX-STOCK	
LF15_C3	LF15	Black Oxide	C3 ~ C7	6002ZZ	EX-STOCK	 Electroless Nickel Plating (Application : Clean room)
LF15_C3N		Electroless Nickel Plating	C3 ~ C7	6002VV	3 days	
LFA12_C3	LFA12	Black Oxide	C3 ~ C7	6801ZZ	EX-STOCK	
LFA12_C3N		Electroless Nickel Plating	C3 ~ C7	6801ZZ	3 days	
LFA15_C3	LFA15	Black Oxide	C3 ~ C7	6902ZZ	EX-STOCK	
LFA15_C3N		Electroless Nickel Plating	C3 ~ C7	6902ZZ	3 days	
LFA20_C3	LFA20	Black Oxide	C3 ~ C7	6804ZZ	EX-STOCK	
LFA20_C3N		Electroless Nickel Plating	C3 ~ C7	6804ZZ	3 days	
LFA25_C3	LFA25	Black Oxide	C3 ~ C7	6005ZZ	EX-STOCK	
LFA25_C3N		Electroless Nickel Plating	C3 ~ C7	6005ZZ	3 days	

Note:

1.All of bearings use Japanese & Taiwanese brand bearings.