

**Test Report** 

號碼(No.): EKR25800177 日期(Date): 08-Aug-2025 頁數(Page): 1 of 8

嵩陽工業股份有限公司 (SONYUNG INDUSTRY CO., LTD.) 彰化縣鹿港鎮鹿工北五路9號 (NO. 9, LUGONG N. 5TH RD., LUKANG TOWNSHIP, CHANGHUA COUNTY 505029, TAIWAN (R.O.C))

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant

送樣廠商(Sample Submitted By) : 嵩陽工業股份有限公司 (SONYUNG INDUSTRY CO., LTD.)

樣品名稱(Sample Name) : MOTOR BRACKET (傳動座)

收件日(Sample Receiving Date) : 04-Aug-2025

測試期間(Testing Period) : 04-Aug-2025 to 08-Aug-2025

**測試需求(Test Requested)** : 依據客戶指定,參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試

鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As

specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs,

PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages.)

結 論(Conclusion) : 根據客戶所提供的樣品,其鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP,

BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求。 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863

amending Annex II to Directive 2011/65/EU.)

報告簽署人/張伯睿 博士/部 图理**SGS**Ray Chang, Ph.D./ Department Manager
Signed for and on behaliting
SGS TAIWAN LTD.

化學實驗室-高雄/Chemical Laboratory-Kaohsiung



PIN CODE: 4E432473



## **Test Report**

號碼(No.): EKR25800177 日期(Date): 08-Aug-2025

頁數(Page): 2 of 8

嵩陽工業股份有限公司 (SONYUNG INDUSTRY CO., LTD.) 彰化縣鹿港鎮鹿工北五路9號 (NO. 9, LUGONG N. 5TH RD., LUKANG TOWNSHIP, CHANGHUA COUNTY 505029, TAIWAN (R.O.C))

#### 測試部位敘述 (Test Part Description)

No.1 : 黑色金屬 (含鍍層) (BLACK METAL (INCLUDING THE PLATING LAYER))

### 測試結果 (Test Results)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
,	( 11 11)	()		No.1	, ,
鎘 (Cd) (Cadmium (Cd))	參考IEC 62321-5: 2013,以感應耦合電漿	mg/kg	2	n.d.	100
	發射光譜儀分析。(With reference to IEC				
	62321-5: 2013, analysis was performed				
	by ICP-OES.)				
鉛 (Pb) (Lead (Pb))	參考IEC 62321-5: 2013·以感應耦合電漿	mg/kg	2	n.d.	1000
	發射光譜儀分析。(With reference to IEC				
	62321-5: 2013, analysis was performed				
	by ICP-OES.)				
汞 (Hg) (Mercury (Hg))	參考IEC 62321-4: 2013+ AMD1: 2017 ·	mg/kg	2	n.d.	1000
	以感應耦合電漿發射光譜儀分析。(With				
	reference to IEC 62321-4: 2013+ AMD1:				
	2017, analysis was performed by ICP-				
	OES.)				
六價鉻 (Hexavalent Chromium) Cr(VI)	參考IEC 62321-7-1: 2015 · 以紫外光-可見	μg/cm²	0.1	n.d.	-
(#2)	光分光光度計分析。(With reference to				
	IEC 62321-7-1: 2015, analysis was				
	performed by UV-VIS.)				
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl		mg/kg	50	n.d.	1000
phthalate (BBP))					
鄰苯二甲酸二丁酯 (DBP) (Dibutyl	参考IEC 62321-8: 2017,以氣相層析儀/質	mg/kg	50	n.d.	1000
phthalate (DBP))	譜儀分析。(With reference to IEC 62321-				
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl	8: 2017, analysis was performed by	mg/kg	50	n.d.	1000
phthalate (DIBP))	GC/MS.)				
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-		mg/kg	50	n.d.	1000
(2-ethylhexyl) phthalate (DEHP))					



# **Test Report**

號碼(No.): EKR25800177 日期(Date): 08-Aug-2025 頁數(Page): 3 of 8

嵩陽工業股份有限公司 (SONYUNG INDUSTRY CO., LTD.) 彰化縣鹿港鎮鹿工北五路9號 (NO. 9, LUGONG N. 5TH RD., LUKANG TOWNSHIP, CHANGHUA COUNTY 505029, TAIWAN (R.O.C))

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
一溴聯苯 (Monobromobiphenyl)		mg/kg	5	n.d.	=
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.	=
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.	=
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.	=
五溴聯苯 (Pentabromobiphenyl)		mg/kg	5	n.d.	-
六溴聯苯 (Hexabromobiphenyl)		mg/kg	5	n.d.	-
七溴聯苯 (Heptabromobiphenyl)	參考IEC 62321-6: 2015·以氣相層析儀/質	mg/kg	5	n.d.	-
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.	-
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.	-
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.	-
多溴聯苯總和 (Sum of PBBs)	譜儀分析。(With reference to IEC 62321-	mg/kg	ı	n.d.	1000
一溴聯苯醚 (Monobromodiphenyl ether)	6: 2015, analysis was performed by	mg/kg	5	n.d.	-
二溴聯苯醚 (Dibromodiphenyl ether)	GC/MS.)	mg/kg	5	n.d.	-
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.	-
四溴聯苯醚 (Tetrabromodiphenyl ether)		mg/kg	5	n.d.	-
五溴聯苯醚 (Pentabromodiphenyl ether)		mg/kg	5	n.d.	-
六溴聯苯醚 (Hexabromodiphenyl ether)		mg/kg	5	n.d.	1
七溴聯苯醚 (Heptabromodiphenyl ether)		mg/kg	5	n.d.	-
八溴聯苯醚 (Octabromodiphenyl ether)		mg/kg	5	n.d.	-
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.	-
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.	-
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	-	n.d.	1000



## **Test Report**

號碼(No.): EKR25800177 日期(Date): 08-Aug-2025 頁數(Page): 4 of 8

嵩陽工業股份有限公司 (SONYUNG INDUSTRY CO., LTD.) 彰化縣鹿港鎮鹿工北五路9號 (NO. 9, LUGONG N. 5TH RD., LUKANG TOWNSHIP, CHANGHUA COUNTY 505029, TAIWAN (R.O.C))

#### 備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. (#2) =
  - a. 當六價鉻結果大於 $0.13\ \mu g/cm^2 \cdot 表示樣品表層含有六價鉻。$  (The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than  $0.13\ \mu g/cm^2$ . The sample coating is considered to contain Cr(VI).) b. 當六價鉻結果為n.d. (濃度小於 $0.10\ \mu g/cm^2$ ) · 表示表層不含六價鉻。 (The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than  $0.10\ \mu g/cm^2$ ). The coating is considered a non-Cr(VI) based coating) c. 當六價鉻結果介於 $0.10\ D 0.13\ \mu g/cm^2$  時,無法確定塗層是否含有六價鉻。 (The result between  $0.10\ \mu g/cm^2$  and  $0.13\ \mu g/cm^2$  is considered to be inconclusive unavoidable coating variations may influence the determination.)
- 6. 除非另有說明,參照ILAC-G8:09/2019決定規則,採用簡單允收規則之二分法(w=0)進行符合性判定;根據此規則,符合性結果之判定係以測試結果與限值做比較。(Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)



## **Test Report**

號碼(No.): EKR25800177 日期(Date): 08-Aug-2025


頁數(Page): 5 of 8

嵩陽工業股份有限公司 (SONYUNG INDUSTRY CO., LTD.) 彰化縣鹿港鎮鹿工北五路9號 (NO. 9, LUGONG N. 5TH RD., LUKANG TOWNSHIP, CHANGHUA COUNTY 505029, TAIWAN (R.O.C))

### 重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. ( $Cr^{6+}$  test method excluded)






## **Test Report**

號碼(No.): EKR25800177 日期(Date): 08-Aug-2025

頁數(Page): 6 of 8

嵩陽工業股份有限公司 (SONYUNG INDUSTRY CO., LTD.) 彰化縣鹿港鎮鹿工北五路9號 (NO. 9, LUGONG N. 5TH RD., LUKANG TOWNSHIP, CHANGHUA COUNTY 505029, TAIWAN (R.O.C))

#### 多溴聯苯/多溴聯苯醚 分析流程圖 / PBB/PBDE analytical FLOW CHART





# **Test Report**


號碼(No.): EKR25800177 日期(Date): 08-Aug-2025

頁數(Page): 7 of 8

嵩陽工業股份有限公司 (SONYUNG INDUSTRY CO., LTD.) 彰化縣鹿港鎮鹿工北五路9號 (NO. 9, LUGONG N. 5TH RD., LUKANG TOWNSHIP, CHANGHUA COUNTY 505029, TAIWAN (R.O.C))

### 可塑劑分析流程圖 / Analytical flow chart of phthalate content

【測試方法/Test method: IEC 62321-8】





## **Test Report**

號碼(No.): EKR25800177 日期(Date): 08-Aug-2025

頁數(Page): 8 of 8

嵩陽工業股份有限公司 (SONYUNG INDUSTRY CO., LTD.) 彰化縣鹿港鎮鹿工北五路9號 (NO. 9, LUGONG N. 5TH RD., LUKANG TOWNSHIP, CHANGHUA COUNTY 505029, TAIWAN (R.O.C))

\* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. \* (The tested sample / part is marked by an arrow if it's shown on the photo.)

## EKR25800177



\*\* 報告結尾 (End of Report) \*\*